


AMENDMENT TO THE CLAIMS:

The following claim set replaces all prior versions, and listings, of claims in the application:

1-18. (canceled)

19. (currently amended) A heat transfer liquid concentrate for solar plants comprising, in addition to at least one glycol,
- a) from 0.05 to 10% by weight of one or more aliphatic amines of the general formula (I),



- [[b)]] where R¹ to R³ may be identical or different and are hydrogen, straight-chain or branched C₁-C₉-alkyl or C₁-C₉-hydroxyalkyl,
- b) [[c)]] from 0.005 to 3% by weight of one or more silicates which [[may]] have been stabilized by organosilicophosphonates and/or organosilicosulfonates,
- c) [[d)]] from 0 to 3% by weight of one or more corrosion inhibitors selected from the group consisting of the hydrocarbon-triazoles and of the hydrocarbon-thiazoles,
- d) [[e)]] from 0 to 5% by weight of one or more alkali metal, ammonium or substituted ammonium molybdates, and
- e) [[f)]] from 0 to 1% by weight of one or more polymeric hard water stabilizers; and wherein
- the concentrate contains no borate.
20. (previously presented) The concentrate as claimed in claim 19, wherein the component c) is present in an amount of from 0.01 to 3 % by weight.

21. (previously presented) The concentrate as claimed in claim 20, wherein the component c) is present in an amount of from 0.05 to 1% by weight.
22. (previously presented) The concentrate as claimed in claim 19, wherein, in the amine of the formula (I), R^1 to R^3 are selected from hydrogen, linear and branched alkyl radicals with 1 to 9 carbon atoms and linear and branched alkyl radicals with 1 to 9 carbon atoms with at least one hydroxyl substituent.
23. (previously presented) The concentrate as claimed in claim 22, wherein R^1 to R^3 are selected from hydrogen, linear and branched alkyl radicals with 3 or 4 carbon atoms and linear and branched alkyl radicals with 3 or 4 carbon atoms which have at least one hydroxyl substituent.
24. (previously presented) The concentrate as claimed in claim 19, wherein the amine carries an alkyl radical having at least one hydroxyl substituent.
25. (previously presented) The concentrate as claimed in claim 19, wherein the silicate of component b) is stabilized.
26. (canceled)
27. (previously presented) The concentrate as claimed in claim 19, wherein component b) contains an alkali metal silicate, the silicate being stabilized, if required, with orthophosphates.
28. (previously presented) The concentrate as claimed in claim 19, wherein component c) contains a mixture of at least two hydrocarbon-thiazoles, a mixture of at least one hydrocarbon-triazole and one hydrocarbon-thiazole or a mixture of at least two different hydrocarbon-triazoles.
29. (previously presented) The concentrate as claimed in claim 19, wherein component d) contains sodium molybdate.

30. (previously presented) The concentrate as claimed in claim 19, wherein component e) contains at least one hard water stabilizer based on one or more compounds from the group consisting of polyacrylic acid, polymaleic acid, acrylic acid/maleic acid copolymers, polyvinylpyrrolidone, polyvinylimidazole, vinylpyrrolidone/vinylimidazole copolymers and copolymers of unsaturated carboxylic acids and olefins.
31. (previously presented) The concentrate as claimed in claim 19, further comprising one or more soluble magnesium salts of organic acids, one or more hydrocarbazoles and/or one or more quaternized imidazoles.
32. (previously presented) The concentrate as claimed in claim 19, wherein the concentrate has a pH from 6 to 11.
33. (previously presented) The concentrate as claimed in claim 19, wherein the at least one glycol comprises at least one compound from the group consisting of the lower alkylene glycols and derivatives thereof, higher glycols and glycol ethers, monoethers of glycols, 1,3-propanediol and glycerol.
34. (previously presented) The concentrate as claimed in claim 19, wherein the at least one glycol is present in the concentrate in an amount of $\geq 75\%$ by weight.
35. (previously presented) The concentrate as claimed in claim 19, wherein the at least one glycol comprises 1,2-propylene glycol or a mixture of 1,2-propylene glycol with one or more other polyalcohols, the mixture containing at least 85% by weight of 1,2-propylene glycol.
36. (previously presented) A ready-to-use aqueous heat transfer liquid comprising water and from 10 to 90% by weight of a heat transfer liquid concentrate as claimed in claim 19.

37. (previously presented) A method of transferring heat in a solar plant comprising using in the solar plant a heat transfer liquid concentrate as claimed in claim 19.
38. (previously presented) The method as claimed in claim 37, comprising bringing the heat transfer liquid concentrate into direct contact with glass of the solar plant.
39. (previously presented) A method of transferring heat in a solar plant comprising using in the solar plant a ready-to-use heat transfer liquid as claimed in claim 36.
40. (previously presented) The method as claimed in claim 39, comprising bringing the heat transfer liquid concentrate into direct contact with glass of the solar plant.